

Moving Details.

# Psst... do you hear that? Neither do we!

Our Comfort-Upgrade for the  
MUTO M 60 sliding door




Soft handling for more  
comfort



Save time thanks to  
simplified mounting



**Also for wooden doors:** with an adapter, you can easily switch between wooden and glass door leaves.




## MUTO M 60 2.0 The Comfort-Upgrade

With the new version of the MUTO Comfort M 60 2.0, we are offering an upgrade to the previous model. Our innovation in the area of sliding doors sets new standards in terms of noise reduction. With the specially optimised rollers, you get a very quiet sliding door fitting for your place of relaxation.

**Your added value:**

- Smooth and quiet handling thanks to optimized rollers.
- Low push forces for easy operation.
- New twist-in supports for the cover plate enable faster and easier installation.

With MUTO, you will find the right sliding door fitting for every door: **Other MUTO variants.**



**„Quiet“ change with a strong effect**

Imagine a door that glides so smoothly and quietly that you will wonder if it has been moved at all. Enjoy the silence, enjoy the time out - with our MUTO Comfort M 60 2.0 sliding door system.

► Creates a quiet environment



**Effortless opening and closing for simplified handling**

Thanks to the low push forces, you only need minimal effort to set doors with a maximum door leaf weight of 60 kg in motion. Smooth gliding along the track is guaranteed.

► For maximum convenience



**Easy installation guaranteed! Thanks to innovative technology**

The twist-in supports make reliable fixing of the cover plate even easier. The innovative connection technology of the DORMOTION unit to the track enables uncomplicated installation.

► Make your life easier

Wir präsentieren DORMA-Glas Produkte



**DORMA-Glas GmbH**

Max-Planck-Straße 33-45  
D - 32107 Bad Salzuflen

T +49 5222 924-0

[info@dorma-glas.com](mailto:info@dorma-glas.com)

[www.dorma-glas.com](http://www.dorma-glas.com)

 DORMA-Glas GmbH

 DORMA-Glas GmbH



04/24  
Technische Änderungen vorbehalten